Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Avesta Moly Drop 960
- · UFI: 6A20-00S1-U00W-GTVH
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Molybdenum identification
- · Uses advised against Other materials than stainelss and high alloyed steels
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

voestalpine Böhler weldCare AB Stenåldersgatan 7 213 76 Malmö, Sweden Tel: +46 (0)40 - 28 83 00 www.voestalpine.com/welding

 Further information obtainable from: Mats Lundahl +46 (0) 40 28 83 00; Mats.Lundahl@voestalpine.com
 1.4 Emergency telephone number:

Carechem24

+44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

Met. Corr.1H290 May be corrosive to metals.Skin Corr. 1CH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: hydrochloric acid
- Hazard statements
 H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Page 2/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.08.2023

P280

Version number 12 (replaces version 11)

Revision: 18.08.2023

(Contd. of page 1)

Trade name: Avesta Moly Drop 960

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P304+P340 Immediately call a POISON CENTER/doctor. P310

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P321 Specific treatment (Calciumgluconate gel).
- P405 Store locked up.

shower].

- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-00-2	hydrochloric acid	5-12.5%
	 ♦ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 (1) STOT SE 3, H335 	
Reg.nr.: 01-2119484862-XXXX	Špecific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %	
-	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
	STOT SE 3; H335: C ≥ 10 %	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · General information: Immediately remove any clothing soiled by the product. Seek medical treatment.

After inhalation: Supply fresh air; consult doctor in case of complaints.

- · After skin contact:
- Immediately rinse with water.

Seek immediate medical advice.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Seek medical treatment.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: Suitable to surrounding conditions.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

(Contd. of page 2)

Trade name: Avesta Moly Drop 960

- **5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Use respiratory protective device against the effects of fumes/dust/aerosol. · 6.2 Environmental precautions: Dilute with plenty of water. Not applicable Do not allow to enter sewers/ surface or ground water. • 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure that suitable extractors are available on processing machines

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
 Prevent any seepage into the ground.
 Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in 5-35° C. Heat and sunlight will increase pressure and may lead to the bottle to swell.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 7647-01-0 hydrochloric acid

IOELV Short-term value: 15 mg/m³, 10 ppm

Long-term value: 8 mg/m³, 5 ppm

Page 4/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

Trade name: Avesta Moly Drop 960

·DNELs		(Contd. of page 3)
	hydrochloric aci	ia
	-	8 mg/m³ (Consumer)
minalative	Long term (local)	8 mg/m³ (Worker)
	Aquita (lagal)	15 mg/m³ (Consumer)
	Acute (local)	15 mg/m ³ (Worker)
		15 highir (Worker)
· PNECs		
	hydrochloric aci	
Water		36 mg/l (Sea Water)
		36 mg/l (Sweet Water)
	eatment plant 0.0	
 Addition 	al information:	The lists valid during the making were used as basis.
Avoid cont		
· Hand pro	otection	
	Protective gloves	
	gloves i on time of glov	ve material
observed. • Eye/face	protection	me has to be found out by the manufacturer of the protective gloves and has to be
Safety glas	sses Tightly sealed go	ggles
· Body pro	otection: Protect	ive work clothing

(Contd. on page 5)

Page 5/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

(Contd. of page 4)

Trade name: Avesta Moly Drop 960

SECTION 9: Physical and chemical p	
9.1 Information on basic physical and chem	nical properties
General Information	
Physical state	Fluid
Colour:	Yellow
Odour:	Pungent
Odour threshold:	Not determined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	1
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
water:	Fully miscible.
Partition coefficient n-octanol/water (log va	•
Density and/or relative density	
Density at 20 °C:	1.3 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
• •	Not determined.
9.2 Other information	
Appearance:	
Form:	Pasty
Important information on protection of he	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Evaporation rate	Not determined.
Information with regard to physical haz	zard
classes	
Explosives	Void
Explosives Flammable gases	Void
Aerosols	
	Void
Oxidising gases Gases under pressure	Void
	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void

Page 6/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

(Contd. of page 5)

Trade name: Avesta Moly Drop 960

· Corrosive to metals

· Desensitised explosives

May be corrosive to metals. Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
- 7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

7647-01-0 hydrochloric acid

Aquatic Toxicity56 mg/kg (daphnia)LC50862 mg/l (Leuciscus idus)

11.5-20.4 mg/l (Lepomis macrochius) 46.6 mg/l (rat)

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

(Contd. of page 6)

Trade name: Avesta Moly Drop 960

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pHvalue barma equatio erronized in the dilution of the use level the pH value is considerably increased as that offer

value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

· European waste catalogue

12 01 13 welding wastes

Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product.

- Recommended cleansing agents: Water, if necessary together with cleansing agents.
- Diluted caustic solution.

14.2 UN proper shipping name		
ADR, IMDG, IATA	UN1789	
ADR, IMDG, IATA	HYDROCHLORIC ACID solution	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class	8 Corrosive substances.	

Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

Trade name: Avesta Moly Drop 960

	(Contd. of
Label	8
14.4 Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler cod	l e): 80
EMS Number:	F-A,S-B
14.7 Maritime transport in bulk according	to
IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	-
	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 9)

EU

Page 9/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.08.2023

Version number 12 (replaces version 11)

Revision: 18.08.2023

(Contd. of page 8)

Trade name: Avesta Moly Drop 960

· Regulation (EC) No 273/2004 on drug precursors

All substances have the value 3.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

All substances have the value 3.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Additional information:

· Relevant phrases

- H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Date of previous version: 09.01.2023
- · Version number of previous version: 11
- Abbreviations and acronyms: NCEC - National Chemical Emergency Centre (=Carechem24) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * * Data compared to the previous version altered. ΕU